


**scholtès**



E X P L O R E R

For nearly 100 years, Scholtès has been developing high-precision products for the needs of all cooks.

The built-in technology of Scholtès' creations offers users a wide range of options, and invites them to focus on what is essential: exploring creative freedom.

So let the cooking show begin: mixing, sprinkling, mincing, deglazing, stuffing. Each of these controlled gestures creates a suspended moment unveiling the underlying personality and the soul of their author.

Cooking with Scholtès is a feast for the senses and does justice to the pleasure of creating and savouring.

With **scholtès**, express yourself.

Let the cooking  
show begin...

Manifesto



1922



1969



1979



1993




2017



2020



- 1922 Birth of Scholtès
- 1923 1st enamel stove
- 1937 1st electric stove
- 1962 1st European built-in range
- 1969 1st pyrolysis oven
- 1979 1st induction hob
- 1985 1st touch-sensitive hob
- 1993 1st Galbe cold door oven
- 2000 1st Cookeye assisted cooking induction hob
- 2003 1st automatic cooking programmes
- 2006 1st oven with handle incorporating control panel
- 2017 Scholtès is taken over by Schneider Consumer Group
- 2020 Launch of the Explorer range



## Disruptive by nature

Both daring and inventive, the art of cooking is the skilful blend of ingredients and the subtle balance of components. Flagship of French cuisine, Scholtès offers appliances with well-thought-out ergonomics and design to unleash all cooks' creativity and free them from any technical constraints. Today, the brand is reinventing itself in merging practicality with authenticity to introduce a new generation of features suiting anyone's needs - from everyday cooking to the free expression of inner culinary talents.



## When experience meets with creativity

The Kitchen. Territory for expression and symbol of French art de vivre, it's where you indulge, share and transmit. More daring and audacious than ever, Scholtès awakens the senses and taste buds of the user in passing down its culinary heritage. In unveiling modern and elegant appliances with a timeless design, Scholtès gives any user the opportunity to express their creativity in unleashing their emotion and joy of cooking.

E X -

P L O

R E R

Exploring new gastronomic horizons, orchestrating culinary gestures to tame ingredients and master the art of precision: this is what Scholtès offers with this new line of home appliances named

"EXPLORER".

This range brings together the brand's full expertise with its savoir-faire to reveal anyone's talents. This rebirth marks the beginning of a new chapter for Scholtès with state-of-the-art products whose assertive design fits harmoniously into all modern kitchens.

**scholtès**

Express your  
creativity



Ovens .12



Induction hobs .30



Gas hobs .40



Hoods .48



Dishwashers .62



Cold storage .70



Technical tables .78

# Contents





## Design & Ergonomics

The new Scholtès ovens' external casing reveals harmonious lines marked by contrasts and reveal top-quality materials such as metal or brushed stainless steel for a contemporary look. Knurled-finish knobs offering excellent grip demonstrate well-thought-out ergonomics. The perfect alignment allows you to combine appliances either horizontally or vertically. Discover other impressive features like the door that opens and closes smoothly, the rail system that comes fully out, or the microwave that opens automatically.



## Get the most of your food

The steam function works like a food steamer. It uses the heat from water vapour to cook food, preserving full nutritional quality.



## Rekindle the joy of home cooking

By maintaining humidity inside the oven at a moderate temperature (30°C to 40°C), Dough proving function offers perfect internal conditions for dough to rise (homemade bread, brioche, etc.) and for fermented cooking (yoghurt).



## Master internal cooking temperatures

The cooking probe is an essential tool to cook all your dishes perfectly and with complete control. It measures the temperature at the heart of the food, whether it is meat, fish, terrine or even home-baked bread. Simply programme the desired temperature and the oven will take care of the rest.



## Get a taste of Italy at your table

Treat your family with this stone, especially designed to cook the perfect pizza: crispy at the base, soft and melting at the top.



With the cooking probe, always  
expect delicious results

SOFPI612W available in April 2021








## PYROLYSIS OVEN

60 cm

**SOFP1612X BLACK | SOFP1612W WHITE**

Pizza stone & cooking probe  
Smooth opening and closing  
Telescopic rails  
Energy class A+  
Net cavity volume 72 litres  
12 cooking positions  
Suggested temperature  
Dough proving function  
Pizza function  
Shabbat function  
Rapid preheating  
Delayed start  
Independent timer  
White LED display  
Cold door with removable full glass door  
Shelves (5 levels, chrome)

**Accessories:** 2 oven racks, drip pan, cooking probe, pizza stone

-  PYROLYTIC CLEANING
-  SMOOTH OPENING AND CLOSING
-  ENERGY CLASS A+
-  COOKING PROBE
-  PIZZA STONE





Thanks to intuitive  
programming, cook absolutely  
everything

SOF1610W available in April 2021



## PYROLYSIS OVEN

60 cm

**SOFP1610X BLACK | SOFP1610W WHITE**

Smooth opening and closing  
Telescopic rails  
Energy class A+  
Net cavity volume 72 litres  
12 cooking positions  
Suggested temperature  
Dough proving function  
Pizza function  
Shabbat function  
Rapid preheating  
Delayed start  
Independent timer  
White LED display  
Cold door with removable full glass door  
Shelves (5 levels, chrome)

**Accessories:** 2 oven racks, drip pan

» SMOOTH OPENING AND CLOSING

Ⓢ ENERGY CLASS A+

🍕 DOUGH PROVING FUNCTION

🕯 SHABBAT FUNCTION





Experience multi-level  
cooking

SOFP1610W available in April 2021

## SMOOTH ENAMEL OVEN 60 cm

**SOFE1610X BLACK | SOFE1610W WHITE**

Smooth opening and closing  
Telescopic rails  
Energy class A+  
Net cavity volume 72 litres  
12 cooking positions  
Suggested temperature  
Dough proving function  
Pizza function  
Shabbat function  
Rapid preheating  
Delayed start  
Independent timer  
White LED display  
Cold door with removable full glass door  
Shelves (5 levels, chrome)

**Accessories:** 2 oven racks, drip pan

>>> SMOOTH OPENING AND CLOSING

TELESCOPIC RAILS

ENERGY CLASS A+

DOUGH PROVING FUNCTION





Switch to steam for lighter  
and healthier meals

SOKV1410W available in April 2021



## COMBINED STEAM OVEN 45 cm

**SOKV1410X BLACK | SOKV1410W WHITE**

100% steam cooking or with added steam (3 levels)  
Tank integrated in the control panel  
Fully removable tank  
Cooking probe  
Culinary guide with 16 automatic recipes  
9 cooking positions  
Net cavity volume 50 litres  
Suggested temperature  
Rapid preheating  
Independent timer  
White LED display  
Shelves (3 levels, chrome)

**Accessories:** steam dish, oven rack, drip pan, cooking probe



COOKING PROBE



100% STEAM AND COMBINED STEAM COOKING



AUTOMATIC RECIPES





Perfect for  
accelerated cooking

SOKC1410W Available in April 2021



## COMBINED MICROWAVE OVEN 45 cm

**SOKC1410X BLACK | SOKC1410W WHITE**

Culinary guide with 13 automatic recipes  
3 automatic defrost programmes  
3 combined modes  
8 cooking positions  
Microwave power 900 W  
Net cavity volume 50 litres  
Suggested temperature  
Rapid preheating  
Pizza function  
Independent timer  
Enamelled cavity  
White LED display  
Shelves (3 levels, chrome)

**Accessories:** oven rack, drip pan, glass drip pan



AUTOMATIC RECIPES



AUTOMATIC DEFROST



3 COMBINED COOKING MODES



Small space,  
big possibilities

Available in June 2021



## PYROLYSIS OVEN 45 cm

**SOKP1410X BLACK | SOKP1410W WHITE**

Energy class A+  
Net cavity volume 50 litres  
12 cooking positions  
Suggested temperature  
Dough proving function  
Pizza function  
Rapid preheating  
Delayed start  
Independent timer  
White LED display  
Shelves (3 levels, chrome)

**Accessories:** oven rack, drip pan



DOUGH PROVING FUNCTION



PIZZA FUNCTION



PYROLYSIS FUNCTION



A versatile drawer to keep  
your plates hot and cook at  
low temperature

SOTC1410W available in June 2021



## WARMING DRAWER

15 cm

**SOTC1410B BLACK | SOTC1410W WHITE**

Push-pull opening, full extension  
Control by touch-sensitive keys  
Smooth closing  
Non-slip mat  
Dough proving function  
Low temperature cooking function  
Fermentation function  
Defrost function for delicate foods  
Keep warm function  
Crockery preheating function  
Internal volume 22 litres  
Temperature range: 40°C - 80°C  
Max load 25 kg  
Maximum number of plates: 12  
Maximum number of espresso cups: 80  
Preheats crockery for 6 people (EN 50242)  
Stainless steel cavity



SMOOTH CLOSING



DOUGH PROVING FUNCTION



LOW TEMPERATURE COOKING FUNCTION



Your daily kitchen assistant  
to cook and heat



## MICROWAVE OVEN

38 cm

**SOMG1310X**

Automatic opening  
3 combined microwave + grill modes  
Culinary guide with 8 automatic recipes  
Multi-stage cooking  
Net cavity volume 25 litres  
Grill power 1000 W  
Microwave power 900 W  
Large turntable 31.5 cm  
Independent timer  
White LED display  
Stainless steel cavity

**Accessory:** oven rack




AUTOMATIC RECIPES



DEFROST BY WEIGHT AND TIME



GRILL 1000 W





# Enjoy full freedom

Scholtès' technique has been developed to deliver the best user experience: this flexible and full modular area perfectly illustrates it. Whether it be a family meal in a large cast iron casserole or a fine sauce for two, let your creativity run wild: everything is possible.



# Foolproof safety

Scholtès makes no concessions when it comes to safety: residual heat indicators, automatic stop in the event of an overflow, pots detection and control locking – an ideal function for child safety and for keeping the settings unchanged when the hob is being cleaned.



# Designed for ease of use

Scholtès has placed ergonomics at the heart of the development of its new induction hobs. Enjoy utmost convenience and never miss a dish thanks to the clear display of time and power for each burner, direct access and the Boost key. With its full glass and bevelled edges design, this induction hob offers elegance and ease of cleaning.





15 power levels for greater precision and specific keypads to assure superior ergonomics



## INDUCTION HOB 60 cm SOTF1610B

Front bevel  
Dedicated keypad for each zone  
15 power levels  
Total power 7400 W  
4 zones including a flexible area  
Flex left zone: 405 x 220 mm - 3000 W + Booster 4000 W  
Right rear zone: 220 mm - 1800 W + Booster 3000 W  
Right front zone: 140 mm - 1400 W + Booster 2000 W  
4 boosters with specific key for each zone  
4 timers with independent display for each zone  
Direct access for each zone  
Residual heat indicator  
Control panel lock for cleaning  
Child safety lock



FLEXIBLE AREA



DEDICATED KEYPADS



15 POWER LEVELS





With a flexible area and large  
28 cm zone, achieve  
the best results



## INDUCTION HOB 60 cm **SOTF1510B**

Front bevel  
Dedicated keypad for each zone  
15 power levels  
Total power 7400 W  
3 zones including a flexible area  
Flex left zone: 405 x 220 mm - 3000 W + Booster 4000 W  
Right zone: 280 mm - 3000 W + Booster 4000 W  
3 boosters with specific key for each zone  
3 timers with independent display for each zone  
Direct access for each zone  
Residual heat indicator  
Control panel lock for cleaning  
Child safety lock



28 CM ZONE



DEDICATED KEYPADS



CLEANING LOCK



Get maximum space and  
make all your wishes  
come true



## INDUCTION HOB 80 cm **SOTF1810B**

Front bevel  
Dedicated keypad for each zone  
15 power levels  
Total power 7400 W  
4 zones including a flexible area  
Flex left zone: 405 x 220 mm - 3000 W + Booster 4000 W  
Middle zone: 280 mm - 3000 W + Booster 4000 W  
Right zone: 140 mm - 1400 W + Booster 2000 W  
4 boosters with specific key for each zone  
4 timers with independent display for each zone  
Direct access for each zone  
Residual heat indicator  
Control panel lock for cleaning  
Child safety lock



MAXIMISED SPACE



FLEXIBLE AREA



DEDICATED KEYPADS



Enjoy the efficiency of  
integrated ventilation

Available in April 2021



## VENTED HOB 86 cm SOTH1900B

Dedicated keypad for each zone  
9 power levels for a total of 7400 W  
4 zones including a flexible area  
Left rear zone: 20 cm - 2300 W + Booster 3000 W  
Left front zone: 16 cm - 1400 W + Booster 2100 W  
Right zone: 190 x 210 mm - 1600 W + Booster 1850 W  
Right zone: 190 x 210 mm - 2100 W + Booster 3000 W  
Booster and keep warm functions  
4 timers  
Residual heat indicators  
Lock for cleaning and child safety

Installation in recycling or extraction mode  
3 speeds + Booster and delayed stop function  
Max air flow 651 m3/h  
Max noise level 61 dB  
Aluminium grease filter  
Grease and carbon filter saturation indicator



SUCTION ENERGY CLASS A



FLEXIBLE AREA



DEDICATED KEYPADS







## Timeless lines

Thanks to a timeless design, Scholtès' products fit into any kitchen style. From ergonomic control knobs to double-zone cast iron grids to move pots easily: everything has been designed for a neat and aesthetic look.



## Master cooking like the back of your hand


With its three flaming crowns, this 3.5 kW zone guarantees you all chances of success, from your lightest to wildest cooking, for simmering, boiling, etc.



## Comfortable in your own workspace

Because feeling comfy is important when cooking, Scholtès has developed 75 cm-wide hobs which fit into standard dimensions: upgrade your equipment without modifying your worktop.





5 burners as aesthetic  
as efficient, for optimal  
convenience

SOTG1730W available in April 2021



## GAS HOB 75 cm SOTG1730B BLACK | SOTG1730W WHITE

Tempered glass surface  
Multi-zones cast iron grids  
Front controls  
5 gas burners including a triple crown  
Left burner: 3.5 kW triple crown  
Centre rear burner: semi-rapid 1.75 kW  
Centre front burner: auxiliary 1 kW  
Right rear burner: rapid 3 kW  
Right front burner: semi-rapid 1.75 kW  
Thermocouple safety  
1-hand ignition



STANDARD BUILT-IN DIMENSIONS



TRIPLE CROWN BURNER



MULTI-ZONES CAST IRON GRIDS





Made with tempered glass,  
this model has for keywords  
design and power

SOTG1630W available in April 2021



## GAS HOB 60 cm SOTG1630B BLACK | SOTG1630W WHITE

Tempered glass surface  
Multi-zones cast iron grids  
Front controls  
4 gas burners including a triple crown  
Left rear burner: semi-rapid 1.75 kW  
Left front burner: 3.5 kW triple crown  
Right rear burner: semi-rapid 1.75 kW  
Right front burner: auxiliary 1 kW  
Thermocouple safety  
1-hand ignition



TRIPLE CROWN BURNER



MULTI-ZONES CAST IRON GRIDS



TEMPERED GLASS



Enjoy utmost safety thanks to  
stable cast iron grids combined  
with resistant stainless steel



## GAS HOB 60 cm SOTE1630X

Stainless steel surface  
Multi-zones cast iron grids  
Front controls  
4 gas burners including a triple crown  
Left rear burner: semi-rapid 1.75 kW  
Left front burner: 3.5 kW triple crown  
Right rear burner: semi-rapid 1.75 kW  
Right front burner: auxiliary 1 kW  
Thermocouple safety  
1-hand ignition



TRIPLE CROWN BURNER




MULTI-ZONES CAST IRON GRIDS



ERGONOMIC KNOBS






## Assert your style

Express your tastes with our hoods whose modern design combines elegance with a clever choice of materials like blown Murano glass or the brilliant mix between glass and stainless steel.



## An intuitive breath of fresh air

The delayed stop feature lets the hood run for a couple of minutes after your cooking session to purify and recycle the air in your kitchen before switching off automatically.



## Innovative filtration

This ingenious plasma filtration system goes beyond suction and guarantees real air purification through an ionisation system, making disappear any smell, bacteria or viruses for complete air sanitation.



## A brilliant cooktop

LED provides excellent lighting, creates a comforting atmosphere and guarantees a longer life compared to halogen lighting-less sustainable.



Benefit from purified air  
thanks to the plasma filter  
technology

SODH1600W available in April 2021



## GLOBE ISLAND HOOD

**SOHD1600B BLACK | SOHD1600W WHITE**

Blown Murano glass  
Width 57 cm  
Plasma filter  
3 speeds + Booster  
Max air flow 550 m<sup>3</sup>/h + Booster 610 m<sup>3</sup>/h  
Max noise level 64 dB, Booster 69 dB  
Stainless steel grease filters  
Grease filter saturation indicator  
Delayed stop function  
10 W LED lighting  
Aesthetic installation without chimney  
Installation for recycling only

**Accessory:** remote control with stainless steel support



PLASMA FILTRATION



MURANO GLASS



DELAYED STOP





Enjoy air renewal  
for 24 hours

## VERTICAL WALL HOOD

**SOHV1940X**

Black glass and stainless steel  
Width 90 cm  
3 speeds + Booster  
Max air flow 373 m<sup>3</sup>/h + Booster 707 m<sup>3</sup>/h  
Max noise level 55 dB, Booster 67 dB  
Stainless steel grease filters  
Carbon filters  
Grease and carbon filter saturation indicator  
Delayed stop function  
24-hour regeneration function  
2 x 1.2 W LED lighting  
Installation for recycling or extraction



STAINLESS STEEL & GLASS FINISH



DELAYED STOP



RECYCLING OR EXTRACTION





Thanks to the remote control,  
manage the range hood  
wherever you are



## BOX WALL HOOD SOHB1930X

Stainless steel and black glass  
Width 90 cm  
3 speeds + Booster  
Max air flow 567 m3/h, Booster 691 m3/h  
Max noise level 65 dB, Booster 70 dB  
Aluminium grease filters  
Carbon filters  
Grease and carbon filter saturation indicator  
Delayed stop function  
2 x 1.5 W LED lighting  
Installation for recycling or extraction

**Accessory:** remote control



REMOTE CONTROL



LED LIGHTING



ENERGY EFFICIENCY CLASS A



The alliance of metal and  
glass reveals a subtle  
timeless design



## INCLINED WALL HOOD SOHV1920B

Black glass and metal  
Width 90 cm  
3 speeds  
Max air flow 481 m3/h  
Max noise level 52 dB  
Aluminium grease filters  
Carbon filters  
Grease and carbon filter saturation indicator  
Delayed stop function  
2 x 3 W LED lighting  
Installation for recycling or extraction



LED LIGHTING



DELAYED STOP



RECYCLING OR EXTRACTION



Powerful filtration  
and always accessible  
control keypad

## BOX ISLAND HOOD SOHI1910X

Stainless steel and black glass with control on each side  
Width 90 cm  
3 speeds + Booster  
Max air flow 593 m<sup>3</sup>/h, Booster 734 m<sup>3</sup>/h  
Max noise level 63 dB, Booster 67 dB  
Aluminium grease filters  
Carbon filters  
Grease and carbon filter saturation indicator  
Delayed stop function  
Energy efficiency class A  
4 x 1.5 W LED lighting  
Installation for recycling or extraction

**Accessory:** remote control



DUAL CONTROL



3 SPEEDS + BOOSTER



ENERGY EFFICIENCY CLASS A





Easy and perfect fitting  
into any cabinet for  
impeccable efficiency



FILTER  
UNIT  
**SOHG1620X | SOHG1920X**

Stainless steel  
Width 60 cm, also available in 90 cm  
3 speeds  
Max air flow 635 m3/h  
Max noise level 64 dB  
Aluminium grease filters  
Carbon filters  
Energy efficiency class A  
2 x 1.5 W LED lighting  
Installation for recycling or extraction

 3 SPEEDS

 RECYCLING OR EXTRACTION

 ALSO AVAILABLE IN 90 CM



Once opened, it unveils  
its efficiency



SOHT1910X available in April 2021


DRAWER  
HOOD  
**SOHT1610X | SOHT1910X**

Stainless steel and black glass  
Width 60 cm, also available in 90 cm  
3 speeds  
Max air flow 623 m3/h  
Max noise level 63 dB  
Aluminium grease filters  
Carbon filters  
Delayed stop function  
Energy efficiency class A  
2 x 3 W LED lighting  
Installation for recycling or extraction

 DELAYED STOP

 ENERGY EFFICIENCY CLASS A

 ALSO AVAILABLE IN 90 CM





## Opt for smart efficiency

The automated program is based on a system with sensors that enable the automatic adjustment of the temperature and the length of the cycle according to dirtiness for the guarantee of optimal results.



## Get the most of your space

A small cutlery drawer has been conveniently placed on the upper part of the dishwasher. This highly practical feature allows you to free up space in the lower part for larger pots and maintain your cutlery in order for utmost space optimisation.



## As clean as a whistle

Working together or separately, the 3 wash arms spray the tank perfectly and reach every corner for impeccable cleaning.



## Made to be convenient

The sliding case is equipped with sliding hinges allowing the installation of up to 757 mm height dishwasher front faces. The size of the plinth is reduced preventing any obstruction when opening the dishwasher. The minimal interspace makes it ideal for setting up a raised dishwasher.



Undeniable performance to meet the highest standards



## FULLY INTEGRATED DISHWASHER 60 cm **SODV1620F**

Infoled  
 Sliding hinges  
 BLDC motor and ventilated drying  
 Door opening at end of cycle  
 Internal lighting  
 Triple wash arm  
 Modular jets in the upper basket  
 Cutlery drawer  
 Capacity 15 place settings  
 Energy class A+++  
 Noise level 42 dB  
 6 programmes and 5 washing temperatures  
 Automatic programme  
 Delayed start  
 AquaStop safety  
 White LED display



SLIDING HINGES



TRIPLE WASH ARM



VENTILATED DRYING



CUTLERY DRAWER





A clever slide system to  
ease installation



## FULLY INTEGRATED DISHWASHER 60 cm **SODV1610F**

Spotlight  
Sliding hinges  
Active convection drying  
Capacity 13 place settings  
Energy class A++  
Noise level 45 dB  
6 programmes and 5 washing temperatures  
Automatic programme  
Delayed start  
AquaStop safety  
White LED display



SLIDING HINGES



AUTOMATIC PROGRAMME



1/2 LOAD



Compact, but flexible  
and smart



## FULLY INTEGRATED DISHWASHER 45 cm **SODV1410F**

Spotlight  
Active convection drying  
Capacity 10 place settings  
Energy class A++  
Noise level 45 dB  
6 programmes and 5 washing temperatures  
Automatic programme  
Delayed start  
AquaStop safety  
White LED display




AUTOMATIC PROGRAMME



DRYING +




1/2 LOAD





## Opt for the best lighting

Equipped with one LED panel on the side and another at the top, Scholtès' refrigerators offer perfect visibility throughout the unit.



## Keep it cool

The fan air duct technology is integrated in Scholtès' refrigerators to guarantee uniform distribution of the cold. Your food keeps all its nutritional properties and is kept from drying out. The No-Frost system in the freezer enables uniform circulation of non-humid cold air to prevent frosting from forming.



## A touch of genius

Discover the Modulo system, a clever sliding installation on the refrigerator doors that allows hassle-free shelves adjustment and new storage possibilities for your bottles.



## Keep your greens fresh and crunchy

The vegetable drawers include a humidity control system to perfectly keep your fruits and vegetables fresh and crunchy.

Store and freeze your food  
with the utmost care



ELECTRONIC TEMPERATURE MANAGEMENT



TWIN SYSTEM: MULTI COOLING AIRDUCT



MODULO SYSTEM



## INTEGRATED BOTTOM FRIDGE FREEZER **SORC1243F**

Height 177 cm  
Energy class A++  
Total net volume 242 litres  
Usable refrigerator volume 179 litres  
Usable freezer volume 63 litres  
Dual LED lighting  
Electronic temperature control  
Twin system: ventilated air refrigerator + No-Frost freezer  
Refrigerator with automatic defrost  
1 vegetable drawer with humidity control  
Modulo system: height-adjustable door shelf  
Freezer with 2 drawers and 1 sliding shelf  
Holiday function  
Super-freezing and refrigeration  
Alarm  
Sliding hinges  
Reversible door  
Noise level 41 dB



A large space entirely  
dedicated to fresh products



 DUAL LED LIGHTING

 FAN AIRDUCT SYSTEM

 MODULO SYSTEM



INTEGRATED  
REFRIGERATOR  
**SORL1300F**

Energy class A++  
Height 177 cm  
Total net volume 294 litres  
Dual LED lighting  
Electronic temperature control  
Refrigerator with automatic defrost  
2 vegetable drawers  
Modulo system: height-adjustable door shelf  
Super-refrigeration  
Alarm  
Sliding hinges  
Reversible door  
Noise level 39 dB

Preserve optimal quality of  
your frozen products thanks to  
the No-Frost system



 NO-FROST

 ELECTRONIC TEMPERATURE MANAGEMENT

 ICE CUBE MAKER



INTEGRATED  
FREEZER  
**SORF1197F**

Energy class A++  
Height 177 cm  
Total net volume 197 litres  
Electronic temperature control  
6 drawers  
2 compartments with drop-down door  
Freezing capacity 9kg/24h  
Autonomy in case of power failure 6 hours  
Super-freezing and refrigeration  
Alarm  
Sliding hinges  
Reversible door  
Noise level 40 dB





OVENS  
60 cm







PYROLYSIS OVEN  
SOFP1612X | SOFP1612W

PYROLYSIS OVEN  
SOFP1610X | SOFP1610W

SMOOTH ENAMEL OVEN  
SOFE1610X | SOFE1610W

CLEANING	PYROLITIC	PYROLITIC	MANUAL
ENERGY EFFICIENCY CLASS	A+	A+	A+
NET CAVITY VOLUME (L)	72	72	72
DISPLAY	WHITE LED	WHITE LED	WHITE LED
TYPE OF CONTROLS	KNOBS	KNOBS	KNOBS
TYPE OF COOKING	CONVECTION	CONVECTION	CONVECTION
SMOOTH OPENING/CLOSING	YES / YES	YES / YES	YES / YES
TELESCOPIC RAILS	YES	YES	YES
PIZZA STONE	YES	NO	NO
COOKING PROBE	YES	NO	NO
COOKING POSITIONS	12	12	11
SUGGESTED TEMPERATURE	YES	YES	YES
DELAYED START	YES	YES	YES
RAPID PREHEATING	YES	YES	YES
SPECIAL FUNCTIONS	SHABBAT, PIZZA	SHABBAT, PIZZA	SHABBAT, PIZZA
DEFROST FUNCTION	YES	YES	YES
END OF COOKING SIGNAL	YES	YES	YES
TIMER	YES	YES	YES
SHELF LEVELS	5	5	5
DOOR	4 GLASS COLD	4 GLASS COLD	3 GLASS COLD
LIGHTING	YES	YES	YES
CHILD SAFETY	YES	YES	YES
TOTAL POWER IN W	3200	3200	2900
GRILL POWER IN W	1300	1300	1300
BOTTOM HEATING ELEMENT IN W	1000	1000	1000
CIRCULAR HEATING ELEMENT IN W	1800	1800	1800
CONVENTIONAL MODE CONSUMPTION IN KWH	0.90	0.90	0.90
FAN VENTILATED CONSUMPTION IN KWH	1.01	1.01	1.01
CONVECTION CONSUMPTION IN KWH	0.65	0.65	0.65
STANDBY MODE CONSUMPTION IN W	1W	1W	1
ENERGY EFFICIENCY INDEX	81.9	81.9	81.9
ACCESSORIES INCLUDED	2 OVEN RACKS, 1 DRIP PAN, 1 PIZZA STONE	2 OVEN RACKS, 1 DRIP PAN	2 OVEN RACKS, 1 DRIP PAN
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50-60, 16	220-240, 50-60, 16	220-240, 50-60, 16
SUPPLIED WITH POWER CORD (WITHOUT PLUG) IN CM	YES, 100	YES, 100	YES, 100
PRODUCT DIMENSIONS (HXWXD) IN MM	596 X 595 X 546	596 X 595 X 546	596 X 595 X 546
NICHE DIMENSIONS (HXWXD) IN MM	590 X 560 X 550	590 X 560 X 550	590 X 560 X 550
PACKAGING DIMENSIONS (HXWXD) IN MM	719 X 648 X 671	719 X 648 X 671	719 X 648 X 671
NET WEIGHT (KG)	44	42	31.5
GROSS WEIGHT (KG)	49.5	47.5	35.6
EAN CODE BLACK	3527570070051	3527570070044	3527570078644
EAN CODE WHITE	3527570076671	3527570076664	3527570078651

OVENS 60 cm  
SOFP1612X | SOFP1612W | SOFP1610X | SOFP1610W  
SOFE1610X | SOFE1610W





OVENS  
45 cm





PYROLYSIS OVEN  
SOKP1410X | SOKP1410W

COMBINED STEAM OVEN  
SOKV1410X | SOKV1410W

COMBINED MICROWAVE OVEN  
SOKC1410X | SOKC1410W

CLEANING	PYROLITIC	STEAM	MANUAL
ENERGY EFFICIENCY CLASS	A+	-	-
NET CAVITY VOLUME (L)	50	50	50
CAVITY MATERIAL	ENAMEL	ENAMEL	ENAMEL
DISPLAY	WHITE LED	WHITE LED	WHITE LED
TYPE OF COOKING	CONVECTION	CONVECTION/STEAM	CONVECTION/MICROWAVE
STEAM COOKING	NO	100% OR ADDED STEAM	NO
COOKING PROBE	NO	YES	NO
NUMBER OF FUNCTIONS	12	9	13
SUGGESTED TEMPERATURE	YES	YES	YES
DELAYED START	YES	YES	YES
RAPID PREHEATING	YES	YES	YES
SPECIAL FUNCTIONS	SHABBAT, PIZZA, DOUGH PROVING FUNCTION	-	PIZZA
NUMBER OF AUTOMATIC PROGRAMMES	-	14	13
COOKING LEVELS	3	3	3
DEFROST FUNCTION	YES	YES	YES, 3 AUTO PROGRAMMES
DEFROST BY WEIGHT	NO	NO	YES
DEFROST BY TIME	YES	YES	NO
END OF COOKING SIGNAL	YES	YES	YES
TIMER	YES	YES	YES
WATER TANK VOLUME	-	1 LITRE	-
NUMBER OF DOOR GLASSES	4	2	3
LIGHTING	YES, LED	YES, LED	YES, LED
CHILD SAFETY	YES	YES	YES
TOTAL POWER IN W	3000	3000	3000
GRILL POWER IN W	1900	2200	2200
BOTTOM HEATING ELEMENT IN W	1000	-	1000
BOTTOM HEATING ELEMENT IN W	-	-	1300
MW POWER IN W	-	-	900
STANDBY MODE CONSUMPTION IN W	<1	-	-
ACCESSORIES INCLUDED	1 OVEN RACK, 1 DRIP PAN	1 OVEN RACK, 1 DRIP PAN, 1 STEAM DISH	1 OVEN RACK, 1 DRIP PAN, 1 GLASS DRIP PAN
VOLTAGE (V), FREQUENCY (HZ)	220-240, 50-60	220-240, 50-60	230, 50
SUPPLIED WITH POWER CORD, IN CM	YES, 150	YES, 150	YES, 150
PRODUCT DIMENSIONS (HXWxD) IN MM	455 X 595 X 545	455 X 595 X 545	455 X 595 X 545
NICHE DIMENSIONS (HXWxD) IN MM	452 X 568 X 550	452 X 568 X 550	452 X 568 X 550
PACKAGING DIMENSIONS (HXWxD) IN MM	700 X 670 X 550	700 X 670 X 550	700 X 670 X 550
NET WEIGHT (KG)	35	31	38.8
GROSS WEIGHT (KG)	40	37	42.8
EAN CODE BLACK	3527570070082	3527570070075	3527570070068
EAN CODE WHITE	3527570078668	3527570078675	3527570078682

OVENS 45 cm  
SOKP1410X | SOKP1410W | SOKV1410X | SOKV1410W  
SOKC1410X | SOKC1410W






OVEN  
38 cm

CLEANING	MANUAL
NET CAVITY VOLUME (L)	25
CAVITY MATERIAL	STAINLESS STEEL
DISPLAY	WHITE LED
DOOR OPENING	AUTOMATIC OPENING
TYPE OF COOKING	MICROWAVE
STEAM COOKING	NO
COOKING PROBE	NO
NUMBER OF FUNCTIONS	5 X MW/3 X MW + GRILL/GRILL
SUGGESTED TEMPERATURE	NO
DELAYED START	NO
RAPID PREHEATING	NO
SPECIAL FUNCTIONS	NO
NUMBER OF AUTOMATIC PROGRAMMES	8
DEFROST FUNCTION	YES
DEFROST BY WEIGHT	YES
DEFROST BY TIME	YES
END OF COOKING SIGNAL	YES
TIMER	YES
NUMBER OF DOOR GLASSES	1
LIGHTING	YES, INCANDESCENT LAMP
CHILD SAFETY	YES
TOTAL POWER IN W	1000
GRILL POWER IN W	1000
MW POWER IN W	900
TURNTABLE DIAMETER (CM)	31.5
ACCESSORY INCLUDED	1 OVEN RACK
VOLTAGE (V), FREQUENCY (HZ)	230, 50
SUPPLIED WITH POWER CORD, IN CM	YES, 130
PRODUCT DIMENSIONS (HXWXD) IN MM	387 X 595 X 390
NICHE DIMENSIONS (HXWXD) IN MM	380 X 560 X 550
PACKAGING DIMENSIONS (HXWXD) IN MM	446 X 654 X 451
NET WEIGHT (KG)	17.6
GROSS WEIGHT (KG)	19.9
EAN CODE	3527570070099

MICROWAVE OVEN  
SOMG1310X

MICROWAVE OVEN  
SOMG1310X






WARMING  
DRAWER 15 cm



INSTALLATION TYPE	INTEGRATED
NET CAVITY VOLUME	20 L
OPENING	PUSH TO OPEN, ON SLIDING RAILS
CLOSING	SMOOTH CLOSING
CONTROL PANEL	TOUCH-SENSITIVE KEYS
TEMPERATURE RANGE FROM ... TO ... °C	40° - 80° C
MAX LOAD (KG)	25
NUMBER OF PLATES	12
NUMBER OF ESPRESSO CUPS	80
FUNCTIONS	DOUGH PROVING FUNCTION LOW TEMPERATURE COOKING YOGHURT FERMENTATION DEFROSTING KEEPING FOOD AND DRINK WARM PREHEATING DISHES
PREHEATING DISHES FOR ... PEOPLE (EN 50242)	6 PEOPLE
CAVITY MATERIAL	STAINLESS STEEL
VOLTAGE (V), FREQUENCY (HZ)	220-230, 50-60
TOTAL POWER	1000 W
ACCESSORY INCLUDED	NON-SLIP MAT
SUPPLIED WITH POWER CORD, IN CM	YES, 150
PRODUCT DIMENSIONS (HXWXD) IN MM	141 X 595 X 541
INTERNAL DIMENSIONS (HXWXD) IN MM	89.5 X 526.5 X 420
NICHE DIMENSIONS (HXWXD) IN MM	150 X 560 X 550
PACKAGING DIMENSIONS (HXWXD) IN MM	210 X 665 X 640
NET WEIGHT (KG)	17
GROSS WEIGHT (KG)	21
EAN CODE BLACK	3527570075483
EAN CODE WHITE	3527570078699

WARMING DRAWER  
SOTC1410B | SOTC1410W

WARMING DRAWER  
SOTC1410B | SOTC1410W



INSTALLATION TYPE	INTEGRATED	INTEGRATED	INTEGRATED
TYPE OF ZONE	INDUCTION	INDUCTION	INDUCTION
BEVELLED GLASS	FRONT	FRONT	FRONT
NUMBER OF ZONES	3	4	4
OF WHICH FLEXIBLE AREAS	1	1	1
TYPE OF CONTROL PANEL	INDIVIDUAL (+/-) FOR EACH ZONE	INDIVIDUAL (+/-) FOR EACH ZONE	INDIVIDUAL (+/-) FOR EACH ZONE
CONTROL PANEL LOCATION	FRONT	FRONT	FRONT
TIMER	YES, WITH SPECIFIC DISPLAY FOR EACH ZONE	YES, WITH SPECIFIC DISPLAY FOR EACH ZONE	YES, WITH SPECIFIC DISPLAY FOR EACH ZONE
INDEPENDENT TIMER	YES	YES	YES
POWER LEVELS	15	15	15
DIRECT ACCESS	YES (1)	YES (1)	YES (1)
BOOST FUNCTION	YES	YES	YES
CHILD SAFETY	YES	YES	YES
CLEANING LOCK	YES	YES	YES
RESIDUAL HEAT INDICATOR	YES	YES	YES
AUTOMATIC SAFETY STOP	YES	YES	YES
UTENSIL DETECTION	YES	YES	YES
TOTAL POWER IN W	7400	7400	7400
DIAMETER MM / LEFT FLEXIBLE AREA	405 X 220	405 X 220	405 X 220
POWER (IN W), BOOSTER / LEFT FLEXIBLE AREA	3000, BOOSTER 4000	3000, BOOSTER 4000	3000, BOOSTER 4000
DIAMETER MM / CENTRE	-	-	280
POWER (IN W), BOOSTER / CENTRE	-	-	3000, BOOSTER 4000
DIAMETER MM / RIGHT REAR	280	220	140
POWER (IN W), BOOSTER / RIGHT REAR	3000, BOOSTER 4000	1800, BOOSTER 3000	1400, BOOSTER 2000
DIAMETER MM / RIGHT FRONT	-	140	-
POWER (IN W), BOOSTER / RIGHT FRONT	-	1400, BOOSTER 2000	-
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50-60, 32	220-240, 50-60, 32	220-240, 50-60, 32
SUPPLIED WITH POWER CORD, IN CM	YES, 120	YES, 120	YES, 120
PRODUCT DIMENSIONS (WDXDH) IN MM	590 X 520 X 60	590 X 520 X 60	770 X 520 X 60
NICHE DIMENSIONS (WDXH) IN MM	565 X 495 X 56	565 X 495 X 56	750 X 495 X 56
PACKAGING DIMENSIONS (WDXH) IN MM	680 X 630 X 127	680 X 630 X 127	873 X 625 X 145
NET WEIGHT (KG)	11.6	12.2	13.3
GROSS WEIGHT (KG)	13.6	14.7	15.5
EAN CODE	3527570072659	3527570072642	3527570072666






VENTED  
HOB


VENTED HOB  
SOTH1900B

INSTALLATION TYPE	EXTRACTION / RECYCLING
TYPE OF HOB	INDUCTION
NUMBER OF ZONES	4
OF WHICH FLEXIBLE AREAS	1
TYPE OF CONTROL PANEL	INDIVIDUAL (+/-) FOR EACH ZONE
CONTROL PANEL LOCATION	FRONT
TIMER	YES
POWER LEVELS	9
BOOSTER	YES
KEEP WARM FUNCTION	YES
CLEANING LOCK	YES
CHILD SAFETY	YES
RESIDUAL HEAT INDICATOR	YES
UTENSIL DETECTION	YES
TOTAL POWER IN W	7400
DIAMETER MM / LEFT FRONT	165
POWER (IN W), BOOSTER / LEFT FRONT	1400/2100, BOOSTER 3000
DIAMETER MM / LEFT REAR	200
POWER (IN W), BOOSTER / LEFT REAR	2300, BOOSTER 3000
DIAMETER MM / RIGHT REAR	195 X 220
POWER (IN W), BOOSTER / RIGHT REAR	1600, BOOSTER 1850
DIAMETER MM / RIGHT FRONT	195 X 220
POWER (IN W), BOOSTER / RIGHT FRONT	1600, BOOSTER 1850
MAX SUCTION (M3/H)	651
MOTOR POWER (IN W)	275
NOISE LEVEL, MAX (DB)	61
NUMBER OF SPEEDS	3 + BOOSTER
AUTOMATIC STOP	YES
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	43.6
VOLTAGE (V), FREQUENCY (HZ)	220-240, 50-60
FAN EFFICIENCY CLASS	A
GREASE FILTERING EFFICIENCY CLASS	C
NUMBER OF GREASE FILTERS	1
GREASE FILTER MATERIAL	ALUMINIUM
CARBON FILTERS INCLUDED	NO, SOLD SEPARATELY
REFERENCE OF RECYCLING INSTALLATION KIT	FOR 60 MM PLINTH: CU003963, FOR 100 MM PLINTH: CU003964
REFERENCE OF REPLACEMENT CARBON FILTERS	FOR 60 MM PLINTH: CU003961, FOR 100 MM PLINTH: CU003962
MOTOR LOCATION	BASE
PLINTH HEIGHT FROM ... TO ... MM	60 TO 100
LIQUID COLLECTOR	YES
INSTALLATION KIT INCLUDED	YES FOR STANDARD INSTALLATION
EXTRACTION DIAMETER IN MM	150
SUPPLIED WITH POWER CORD, IN CM	YES, 200
PRODUCT DIMENSIONS (WxD) MM	860 X 520
PACKAGING DIMENSIONS (WxDxH) MM	570 X 970 X 610
NET WEIGHT (KG)	31.5
GROSS WEIGHT (KG)	41
EAN CODE	3527570075766




VENTED HOB  
SOTH1900B



\* Variable according to the depth of the worktop



INSTALLATION TYPE	INTEGRATED	INTEGRATED	INTEGRATED
TYPE OF BURNERS	4	4	5
SURFACE	STAINLESS STEEL	TEMPERED GLASS 6 MM	TEMPERED GLASS 6 MM
KNOB MATERIAL	ALUMINIUM	ALUMINIUM	ALUMINIUM
CONTROL PANEL LOCATION	FRONT	FRONT	FRONT
GRILL MATERIAL	CAST IRON	CAST IRON	CAST IRON
TYPE OF GRIDS	MULTI-ZONE	MULTI-ZONE	MULTI-ZONE
DISHWASHER WASHABLE GRIDS	YES	YES	YES
TYPE OF BURNERS	SABAF	SABAF	SABAF
1-HAND IGNITION	YES	YES	YES
THERMOCOUPLE SAFETY	YES	YES	YES
TYPE OF GAS	G20/20	G20/20	G20/20
BIT KIT	LPG 30	LPG 30	LPG 30
TOTAL POWER IN KW	8	8	11
BURNER TYPE / LEFT FRONT	TRIPLE CROWN	TRIPLE CROWN	TRIPLE CROWN
POWER / LEFT FRONT IN KW	3.5	3.5	3.5
BURNER TYPE / LEFT REAR	SEMI-RAPID	SEMI-RAPID	-
POWER / LEFT REAR IN KW	1.75	1.75	-
BURNER TYPE / CENTRE	-	-	SEMI-RAPID
POWER / CENTRE IN KW	-	-	1.75
BURNER TYPE / CENTRE FRONT	-	-	AUXILIARY
POWER / CENTRE FRONT IN KW	-	-	1
BURNER TYPE / RIGHT REAR	SEMI-RAPID	SEMI-RAPID	RAPID
POWER / RIGHT REAR IN KW	1.75	1.75	3
BURNER TYPE / RIGHT FRONT	AUXILIARY	AUXILIARY	SEMI-RAPID
POWER / RIGHT FRONT IN KW	1	1	1.75
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50-60, 10	220-240, 50-60, 10	220-240, 50-60, 10
SUPPLIED WITH POWER CORD, IN CM	YES, 100	YES, 100	YES, 100
PRODUCT DIMENSIONS (WXDXH) IN MM	590 X 508 X 71	590 X 508 X 57	750 X 508 X 57
NICHE DIMENSIONS (WXDXH) IN MM	560 X 480 X 70	560 X 480 X 51	560 X 480 X 51
PACKAGING DIMENSIONS (WXDXH) IN MM	670 X 560 X 150	670 X 560 X 150	810 X 560 X 150
NET WEIGHT (KG)	11	14.2	18.5
GROSS WEIGHT (KG)	12	15.5	19.3
EAN CODE STAINLESS STEEL / BLACK	3527570073700	3527570073717	3527570073724
EAN CODE WHITE	-	3527570076879	3527570076886






ISLAND  
HOODS

GLOBE ISLAND HOOD  
SOHD1600B | SOHD1600W


BOX ISLAND HOOD  
SOHI1910X

INSTALLATION TYPE	RECYCLING	RECYCLING / EXTRACTION
ENERGY EFFICIENCY CLASS	-	A
TYPE OF CONTROL	BY REMOTE CONTROL	TOUCH-SENSITIVE KEYS
REMOTE CONTROL	YES	YES
MAX SUCTION, BOOSTER (M3/H)	610	734
MIN / MAX SUCTION, IN NORMAL OPERATION (M3/H)	180 / 550	224 / 593
NOISE LEVEL IN BOOSTER MODE (DB)	69	67
NOISE LEVEL AT MAX SPEED IN NORMAL OPERATION (DB)	64	63
NUMBER OF SPEEDS	3	3
BOOSTER	YES	YES
AUTOMATIC STOP	YES	YES
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	-	50
FAN EFFICIENCY CLASS	-	A
LIGHTING EFFICIENCY CLASS	-	A
LIGHTING	10 W LED	4 X 1.5 W LED
GREASE FILTERING EFFICIENCY CLASS	-	D
PLASMA FILTER INCLUDED	YES	NO
NUMBER OF GREASE FILTERS	1	1
GREASE FILTER MATERIAL	ALUMINIUM	ALUMINIUM
CARBON FILTERS INCLUDED	NO	YES
REFERENCE OF CARBON FILTERS	-	CU003865
GREASE/CARBON FILTER SATURATION INDICATOR	YES / -	YES / YES
ANTI-RETURN VALVE	-	YES
INSTALLATION KIT INCLUDED	YES	YES
MOTOR POWER (W)	285	275
TOTAL POWER (W)	295	281
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50, 10	220-240, 50, 10
EXTRACTION DIAMETER (MM)	-	150
SUPPLIED WITH POWER CORD, IN CM	YES, 200	YES, 200
CABLE WITH PLUG	NO	YES
PRODUCT DIMENSIONS (HXWXD) MM	450 X 570 X 570	975 X 900 X 660
PACKAGING DIMENSIONS (HXWXD) MM	540 X 1130 X 629	730 X 980 X 440
NET WEIGHT (KG)	24.5	25.6
GROSS WEIGHT (KG)	27.5	30.6
EAN CODE STAINLESS STEEL / BLACK GLASS	3527570074738	3527570074721
EAN CODE WHITE GLASS	3527570078590	-




GLOBE ISLAND HOOD  
SOHD1600B | SOHD1600W



BOX ISLAND HOOD  
SOHI1910X





INSTALLATION TYPE	RECYCLING / EXTRACTION	RECYCLING / EXTRACTION	RECYCLING / EXTRACTION
ENERGY EFFICIENCY CLASS	A	A	B
TYPE OF CONTROL	ELECTRONIC CONTROL	TOUCH-SENSITIVE KEYS	TOUCH-SENSITIVE KEYS
REMOTE CONTROL	YES	NO	NO
MAX SUCTION, BOOSTER (M3/H)	691	707	717
MIN / MAX SUCTION, IN NORMAL OPERATION (M3/H)	219 / 567	197 / 373	279 / 476
NOISE LEVEL IN BOOSTER MODE (DB)	70	67	60
NOISE LEVEL AT MAX SPEED IN NORMAL OPERATION (db)	65	55	51
NUMBER OF SPEEDS	3	3	3
BOOSTER	YES	YES	YES
AUTOMATIC STOP	YES	YES	NO
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	50	51.9	73.1
FAN EFFICIENCY CLASS	A	A	C
LIGHTING EFFICIENCY CLASS	B	A	A
LIGHTING	2 X 1.5 W LED	2 X 1.2 W LED	2 X 3 W LED
GREASE FILTERING EFFICIENCY CLASS	B	D	E
NUMBER OF GREASE FILTERS	3	1	2
GREASE FILTER MATERIAL	ALUMINIUM	ALUMINIUM	ALUMINIUM
CARBON FILTERS INCLUDED	YES	YES	YES
REFERENCE OF CARBON FILTERS	CU003865	CU003960	CU003953
GREASE/CARBON FILTER SATURATION INDICATOR	YES / YES	YES / YES	YES / YES
ANTI-RETURN VALVE	YES	YES	YES
INSTALLATION KIT INCLUDED	YES	YES	YES
MOTOR POWER (W)	275	352.4	195
TOTAL POWER (W)	278	350	201
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50, 10	220-240, 50, 10	220-240, 50, 10
EXTRACTION DIAMETER (MM)	150	150	150
SUPPLIED WITH POWER CORD, IN CM	YES, 200	YES, 200	YES, 200
COLOUR	STAINLESS STEEL AND BLACK GLASS	STAINLESS STEEL AND BLACK GLASS	BLACK AND BLACK GLASS
PRODUCT DIMENSIONS (HXWXD) MM	629.5 X 898 X 500	774 X 900 X 435	800 X 896 X 475
PACKAGING DIMENSIONS (HXWXD) MM	595 X 1010 X 450	620 X 1160 X 996	545 X 995 X 560
NET WEIGHT (KG)	19.9	44.3	23.1
GROSS WEIGHT (KG)	26.2	51	26.7
EAN CODE	3527570074707	3527570074745	3527570074714





FILTER UNIT 90 cm  
**SOHC1920X**

INSTALLATION TYPE	RECYCLING / EXTRACTION	RECYCLING / EXTRACTION
ENERGY EFFICIENCY CLASS	A	A
TYPE OF CONTROL	ELECTRONIC CONTROL	ELECTRONIC CONTROL
REMOTE CONTROL	NO	NO
MIN / MAX SUCTION, IN NORMAL OPERATION (M3/H)	250 / 635	241 / 638
NOISE LEVEL AT MAX SPEED IN NORMAL OPERATION (DB)	64	64
NUMBER OF SPEEDS	3	3
AUTOMATIC STOP	YES	YES
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	45.2	46.1
FAN EFFICIENCY CLASS	A	A
LIGHTING EFFICIENCY CLASS	A	A
LIGHTING	2 X 1.5 W LED	2 X 1.5 W LED
GREASE FILTERING EFFICIENCY CLASS	C	B
NUMBER OF GREASE FILTERS	2	1
GREASE FILTER MATERIAL	ALUMINIUM	ALUMINIUM
CARBON FILTERS INCLUDED	YES	YES
REFERENCE OF CARBON FILTERS	CU003883	CU003883
GREASE/CARBON FILTER SATURATION INDICATOR	YES / NO	YES / NO
ANTI-RETURN VALVE	YES	YES
INSTALLATION KIT INCLUDED	YES	YES
MOTOR POWER (W)	210	210
TOTAL POWER (W)	213	213
EXTRACTION DIAMETER, IN MM	150	150
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50, 10	220-240, 50, 10
SUPPLIED WITH POWER CORD, IN CM	YES, 200	YES, 200
COLOUR	STAINLESS STEEL AND TRANSPARENT GLASS	STAINLESS STEEL AND TRANSPARENT GLASS
PRODUCT DIMENSIONS (HXWXD) IN MM	320 X 898 X 310	320 X 598 X 310
PACKAGING DIMENSIONS (HXWXD) IN MM	370 X 990 X 390	360 X 660 X 390
NET WEIGHT (KG)	9.5	8.9
GROSS WEIGHT (KG)	12.1	9.2
EAN CODE	3527570075216	3527570075223



FILTER UNIT 60 cm  
**SOHC1620X**



	TELESCOPIG HOOD 90 cm SOHT1910X	TELESCOPIG HOOD 60 cm SOHT1610X
INSTALLATION TYPE	RECYCLING / EXTRACTION	RECYCLING / EXTRACTION
ENERGY EFFICIENCY CLASS	A	A
TYPE OF CONTROL	TOUCH-SENSITIVE KEYS	TOUCH-SENSITIVE KEYS
REMOTE CONTROL	NO	NO
MIN / MAX SUCTION, IN NORMAL OPERATION (M3/H)	254 / 624	254 / 623
NOISE LEVEL AT MAX SPEED IN NORMAL OPERATION (DB)	67	67
NUMBER OF SPEEDS	3	3
AUTOMATIC STOP	YES	YES
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	43	43
FAN EFFICIENCY CLASS	A	A
LIGHTING EFFICIENCY CLASS	A	A
LIGHTING	2 X 3 W LED	2 X 3 W LED
GREASE FILTERING EFFICIENCY CLASS	C	C
NUMBER OF GREASE FILTERS	2	2
GREASE FILTER MATERIAL	ALUMINIUM	ALUMINIUM
CARBON FILTERS INCLUDED	YES	YES
REFERENCE OF CARBON FILTERS	CU003959	CU003883
GREASE/CARBON FILTER SATURATION INDICATOR	YES / NO	YES / NO
ANTI-RETURN VALVE	YES	YES
INSTALLATION KIT INCLUDED	YES	YES
MOTOR POWER (W)	210	210
TOTAL POWER (W)	216	216
EXTRACTION DIAMETER, IN MM	150	150
VOLTAGE (V), FREQUENCY (HZ), AMPERE (A)	220-240, 50, 10	220-240, 50, 10
SUPPLIED WITH POWER CORD, IN CM	YES, 200	YES, 200
COLOUR	STAINLESS STEEL AND BLACK GLASS	STAINLESS STEEL AND BLACK GLASS
PRODUCT DIMENSIONS (HXWXD) IN MM	259 X 899 X 308	259 X 599 X 308
PACKAGING DIMENSIONS (HXWXD) IN MM	380 X 940 X 325	380 X 650 X 325
NET WEIGHT (KG)	10.6	8.41
GROSS WEIGHT (KG)	11.36	8.92
EAN CODE	3527570075445	3527570075452






INSTALLATION TYPE	INTEGRATED	INTEGRATED	INTEGRATED
NUMBER OF PLACE SETTINGS	15	13	10
CUTLERY DRAWER	YES	NO	NO
CUTLERY BASKET	YES	YES	YES
CURRENT ENERGY EFFICIENCY CLASS	A+++	A++	A++
NEW ENERGY EFFICIENCY CLASS	D	E	E
MOTOR	BLDC	CLASSIC	CLASSIC
NOISE LEVEL (DB)	42	45	45
NOISE LEVEL EFFICIENCY CLASS	B	C	C
DISPLAY	WHITE LED	WHITE LED	WHITE LED
TYPE OF HINGES	SLIDING	SLIDING	FIXED
PROGRAMMES	ECO SMART 60°C - 70°C SMART 50°C - 60°C SMART 30°C - 50°C HYGIENE 70°C SUPER 50' DUAL PRO WASH 60°C RAPID 30' MINI 14'	ECO AUTO HYGIENE 70°C SUPER 50' DELICATE 40°C RAPID 30' MINI 14'	ECO AUTO HYGIENE 70°C SUPER 50' DELICATE 40°C RAPID 30' MINI 14'
NUMBER OF PROGRAMMES	9	7	7
TEMPERATURES	5	5	5
DELAYED START	YES, 19 HOURS	YES, 19 HOURS	YES, 19 HOURS
HALF-LOAD OPTION	YES	YES	YES
MULTI-FUNCTION TABLETS	YES	YES	YES
FLOOR INFOLIGHT	YES	NO	NO
SPOTLIGHT ON WORKTOP	NO	YES	YES
INTERNAL LIGHTING	YES	NO	NO
FOLDING PINS	YES	YES	YES
HEIGHT-ADJUSTABLE UPPER BASKET	YES, LOADED	YES, LOADED	YES, EMPTY
ENERGY CONSUMPTION / 100 CYCLES (KWH)	86	94	76
WATER CONSUMPTION / CYCLE (L)	9	12	11
ECO PROGRAMME DURATION (MIN)	254	205	222
AQUASTOP	YES	YES	YES
ANTI-OVERFLOW SAFETY	YES	YES	YES
REMAINING SALT INDICATOR	YES	YES	YES
REMAINING RINSE LIQUID INDICATOR	YES	YES	YES
SELECTED PROGRAMME INDICATOR	YES	YES	YES
REMAINING TIME DISPLAY	YES	YES	YES
DRYING SYSTEM	VENTILATED	NATURAL	NATURAL
NUMBER OF WASH ARMS	3	2	2
CAVITY MATERIAL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
HEIGHT-ADJUSTABLE FEET	YES	YES	YES
VOLTAGE (V), FREQUENCY (HZ)	220-240, 50	220-240, 50	220-240, 50
REGENERATION	YES	YES	YES
SOFTENER	YES	YES	YES
SUPPLIED WITH POWER CORD, IN CM AND PLUG	165	165	165
LENGTH OF THE WATER INLET HOSE IN CM	147	147	147
LENGTH OF THE DRAIN HOSE IN CM	200	200	200
PRODUCT DIMENSIONS (HXWXD) IN MM	820 X 598 X 570	820 X 598 X 570	820 X 448 X 570
NICHE DIMENSIONS (HXWXD) IN MM	820 X 600 X 570	820 X 600 X 570	820 X 450 X 570
PACKAGING DIMENSIONS (HXWXD) IN MM	851 X 644 X 661	851 X 644 X 661	861 X 494 X 661
NET WEIGHT (KG)	42.8	38.6	32
GROSS WEIGHT (KG)	44.8	40.6	34
EAN CODE	3527570073526	3527570073533	3527570073540






	BOTTOM FRIDGE FREEZER SORC1243F	REFRIGERATOR SORL1300F	FREEZER SORF1197F
INSTALLATION TYPE	INTEGRATED	INTEGRATED	INTEGRATED
TOTAL NET VOLUME (LITRES)	242	294	197
REFRIGERATOR NET VOLUME (LITRES)	179	294	-
4* FREEZER NET VOLUME (LITRES)	63	-	197
TYPE OF COOLING	WITH FAN	WITH FAN	-
AUTOMATIC DEFROSTING	YES	YES	-
TYPE OF FREEZING	NO FROST	-	NO FROST
TYPE OF CONTROL	ELECTRONIC	ELECTRONIC	ELECTRONIC
ENERGY EFFICIENCY CLASS	A++	A++	A++
NEW ENERGY EFFICIENCY CLASS	E	E	E
NOISE LEVEL (DB)	41	39	40
NOISE LEVEL EFFICIENCY CLASS	C	C	C
TYPE OF HINGES	SLIDING	SLIDING	SLIDING
ANNUAL ENERGY CONSUMPTION (KWH/YEAR)	218	112	231
INTERNAL FINISH	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
NUMBER OF SHELVES IN THE REFRIGERATOR	4	5	-
OF WHICH HEIGHT-ADJUSTABLE	3	4	-
SHELF MATERIAL	SECURIT GLASS	SECURIT GLASS	-
BOTTLE RACK	YES	YES	-
NUMBER OF DOOR SHELVES	4, INCLUDING 1 HEIGHT-ADJUSTABLE	5, INCLUDING 1 HEIGHT-ADJUSTABLE	-
NUMBER OF VEGETABLE DRAWERS	1	2	-
OF WHICH WITH REGULATION OF HUMIDITY	1	1	-
FREEZER EQUIPMENT	2 DRAWERS + 1 SHELF SLIDING	-	6 DRAWERS + 2 COMPARTMENTS WITH DROP-DOWN DOOR
ICE CUBE MAKER	-	-	YES
LIGHTING	DOUBLE LED	DOUBLE LED	-
HOLIDAY FUNCTION	YES	NO	NO
SUPER-FREEZING / SUPER-REFRIGERATION	YES / YES	NO / YES	YES / NO
OPEN DOOR ALARM	YES (REFRIGERATOR)	YES	YES
HIGH TEMPERATURE ALERT	YES (REFRIGERATOR)	YES	YES
FREEZING CAPACITY (KG/24H)	3	-	9
AUTONOMY IN CASE OF POWER FAILURE (H)	8	-	6
REVERSIBLE DOORS	YES	YES	YES
HEIGHT-ADJUSTABLE FEET (MM)	NO	NO	NO
CLIMATE CLASS	T/N	ST/SN	T/SN
VOLTAGE (V), FREQUENCY (HZ)	220-240, 50	220-240, 50	220-240, 50
CABLE LENGTH (CM)	150	150	150
PRODUCT DIMENSIONS (HXWXD) IN MM	1770 X 540 X 545	1770 X 540 X 545	1770 X 540 X 545
NICHE DIMENSIONS (HXWXD) IN MM	1770 X 560 X 550	1770 X 560 X 550	1770 X 560 X 550
PACKAGING DIMENSIONS (HXWXD) IN MM	1834 X 584 X 577	1834 X 584 X 577	1834 X 584 X 577
NET WEIGHT (KG)	54	49	59
GROSS WEIGHT (KG)	58	53	63
EAN CODE	3527570073496	3527570073502	3527570073519

BOTTOM FRIDGE FREEZER  
SORC1243F



REFRIGERATOR & FREEZER  
SORL1300F | SORF1197F






# Free yourself!

Get the best out of your household appliances.

## Register your products

Log on to **scholtès.com** to register your products then go to the section "Add a new product".  
You can also scan the QR code directly on your equipment's identification card using your camera.  
You will then benefit from all the advantages and services Scholtès offers for the purchase of a new product\*.



\* Only for France.

**scholtès**

**scholtès**

Immeuble Spaak  
12 rue Jules Ferry  
93110 Rosny-sous-Bois  
FRANCE

 **+33 04 42 19 19 35**

As we are keen to continuously improve the quality of our products, we reserve the right to modify their characteristics.  
If it is impossible to supply a particular product, no damages may be claimed.  
The characteristics and prices indicated in this brochure are provided for information only.

**scholtes.com**

Printed in France ed. 10/20

**scholtès**